

Identification

C₆H₁₂ M = 84,16 g/mol CAS [110-82-7] EC number: 203-806-2 Taric code: 2902 11 00

Synonyms

Hexahydrobenzene, Hexamethylene, Naphthene

Applications

solvents, analytical chemistry, synthesis of organic products.

Specifications

assay (G.C.)	min. 99,8 %
identity (IR-spectrum)	passes test
density (20°/4°)	0,776 - 0,780
residue on evaporation	max. 0,0001 %
water (K.F.)	max. 0,01 %

Suitable for organohalogenated pesticide and dioxins, furans and PCBs residue analysis



ECD, from 1,2,4-trichlorobenzene to decachlorobiphenyl, no peaks are obtained greater than 3 pg/ml as lindane.

No peaks are obtained in vicinity of 2,4,5-trichlorobiphenyl. Suitable for highly volatile halogenated hydrocarbons trace analysis ECD, from dichloromethane to 1,2,4-trichlorobenzene, no peaks are obtained greater than 1 ng/ml as tetrachloromethane.

Suitable for pesticide and polycyclic aromatic hydrocarbons residue analysis

FID, from 1-octanol to 1-tetradecanol, no peaks are obtained greater than 5 ng/ml as 1-tetradecanol. No peaks are obtained in vicinity of pyrene.

Physical data

- Density: 0,78 g/cm3
- Solub. in water: (20 °C): 55 mg/l
- Melting point: 6 °C
- Boiling point: 80,7 81 °C
- Flash point: -18 °C
- Ignition temperature: 260 °C
- Vapour pressure: (20 °C) 103 hPa
- Refraction index: (n 20 °C/D) 1,4264
- Viscosity: (kinetic, 20 °C) 1,26 mm²/s
- Dielectric const.: (20 °C) 2,0
- Evap. heat: (81 °C) 389 KJ/kg
- Saturation conc.: (20 °C) 357 g/m³
- Expl. limit (upper): 8,3 Vol%
- Expl. limit (lower): 1,2 Vol%

Safety - GHS

Signal Word:

Danger

Hazard Statements:

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H304: May be fatal if swallowed and enters airways.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

P210: Keep away from heat / sparks / open flames / hot surfaces. - No smoking.
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
P370+P378: In case of fire: Use ... for extinction.
P405: Store locked up.
P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.





Transport/storage

- ADR: 3 F1 II UN 1145 CYCLOHEXANE
- IMDG: 3 II UN 1145 CYCLOHEXANE
- IATA/ICAO: 3 II
 UN 1145
 CYCLOHEXANE
- PAX: 305
- CAO: 307
- 15°C 25°C