


**Hydrogen peroxide, solution 35% w/w (133 vol), for analysis,
ExpertQ®****Identification**

H₂O₂
M = 34,01 g/mol
CAS [7722-84-1]
EC number: 231-765-0
Taric code: 2847 00 00

**Synonyms**

Hydrogen dioxide, Hydroperoxide

Applications

oxidizing agent, bleaching agent, for pharmaceuticals synthesizing, in the pharmaceuticals industry.

Specifications

assay (permanganometric).....	min. 34,5 %	ammonium (NH ₄).....	max. 0,001 %
acidity (as H ₂ SO ₄).....	max. 0,02 %	arsenic (As).....	max. 0,5 ppm
chlorides (Cl).....	max. 0,0001 %	copper (Cu).....	max. 1 ppm
nitrates (NO ₃).....	max. 0,0005 %	iron (Fe).....	max. 0,1 ppm
phosphates (as PO ₄).....	max. 0,0005 %	lead (Pb).....	max. 1 ppm
sulfates (SO ₄).....	max. 0,0005 %	nickel (Ni).....	max. 1 ppm
		residue on evaporation.....	max. 0,05 %

Physical data

- Density: 1,13 g/cm³
- Solub. in water: (20 °C): miscible
- Melting point: ~ -24 °C
- Boiling point: ~ 110 °C
- Vapour pressure: (20 °C) ~ 20 hPa
- pH(20 °C) ~ 2 - 4

Safety - GHS

Signal Word: Danger

Hazard Statements:

- H318: Causes serious eye damage.
H302: Harmful if swallowed.
H335: May cause respiratory irritation.
H315: Causes skin irritation.

**Precautionary Statements:**

- P261: Avoid breathing dust / fume / gas / mist / vapours / spray.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor / physician.
P321: Specific treatment (see on this label).
P405: Store locked up.
P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.

Transport/storage

- ADR: 5.1 OC1 II • UN 2014 • HYDROGEN PEROXIDE, AQUEOUS SOLUTION
- IMDG: 5.1 II • UN 2014 • HYDROGEN PEROXIDE, AQUEOUS SOLUTION
- IATA/ICAO: 5.1 II • UN 2014 • HYDROGEN PEROXIDE, AQUEOUS SOLUTION
- PAX: 501
- CAO: 506
- 10°C - 30°C