

Potassium hydroxide, solution 0,01 mol/l (0,01 N) in 2-propanol

Identification

KOH

M = 56,11 g/mol CAS [1310-58-3] EC number: 215-181-3 Taric code: 3814 00 90

Specifications

uncertainty ± 0,001

1 ml = 0,0005611 g KOH

This solution was analysed using a certified reference material (potassium hydrogen phthalate).

The certified reference material is ISO 17034 accredited, measured according to ISO/IEC 17025 and traceable to the International System of Units by means of a Standard Reference Material from NIST: SRM® 84 (Potassium Hydrogen Phthalate).

Physical data

• Density: 0,79 g/cm3

• Solub. in water: (20 °C): miscible

• Flash point: 12 °C

Ignition temperature: ~ 425 °C
Expl. limit (upper): 12 Vol %
Expl. limit (lower): 2 Vol %

Safety - GHS

Signal Word: Danger

Hazard Statements:

H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

Precautionary Statements:

P210: Keep away from heat / sparks / open flames / hot surfaces. - No smoking.

P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use ... for extinction.

P405: Store locked up

P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.

Transport/storage

- ADR: 3 F1 II UN 1993 FLAMMABLE LIQUID, N.O.S. ()
- IMDG: 3 II UN 1993 FLAMMABLE LIQUID, N.O.S.()
- IATA/ICAO: 3 II UN 1993 FLAMMABLE LIQUID, N.O.S.()
- PAX: 353
- CAO: 364
- 10°C 30°C



